



APPENDIX J

**Appendix J.1 Indigenous Communities Correspondence and
Appendix J.2 Record of Follow up Phone Calls
with Indigenous Communities**



Appendix J.1 Indigenous Communities Correspondence

-----Original Message-----

From: Shelley Kuan [mailto:SKuan@coleengineering.ca]

Sent: January-14-19 2:41 PM

To: hdi2@bellnet.ca; winston.wang@hamilton.ca; traceyghdi@gmail.com; ganowa@me.com; Rhona Scott <rscott@coleengineering.ca>

Subject: PD7 Elevated Water Storage Facility

You have received access to a Serv-U File Share from Shelley Kuan. The link to transfer your file(s) will expire on February 13, 2019 2:34 PM.

<https://ftp.coleengineering.net/?ShareToken=1867A7D86A9ED442972A15ECEC649BEA8F1AFE8B>

Dear Mr. Williams,

Enclosed please find a copy of the Final Natural Heritage Report as discussed.

Please feel free to contact us if you have any questions.

Thank you.

Shelley Kuan, P. Eng.
Hydraulic Technical Manager
Modelling Lead
Infrastructure Planning

-----Original Message-----

From: Shelley Kuan [mailto:SKuan@coleengineering.ca]

Sent: January-14-19 2:41 PM

To: hdi2@bellnet.ca; winston.wang@hamilton.ca; traceyghdi@gmail.com; ganowa@me.com; Rhona Scott <rscott@coleengineering.ca>

Subject: PD7 Elevated Water Storage Facility

You have received access to a Serv-U File Share from Shelley Kuan. The link to transfer your file(s) will expire on February 13, 2019 2:34 PM.

<https://ftp.coleengineering.net/?ShareToken=1867A7D86A9ED442972A15ECEC649BEA8F1AFE8B>

Dear Mr. Williams,

Enclosed please find a copy of the Final Natural Heritage Report as discussed.

Please feel free to contact us if you have any questions.

Thank you.

Shelley Kuan, P. Eng.

Hydraulic Technical Manager

Modelling Lead

Infrastructure Planning

From: Shelley Kuan
Sent: August-24-18 1:58 PM
To: 'Todd Williams' <williams.todde@gmail.com>
Cc: hdi2@bellnet.ca; winston.wang@hamilton.ca; HDI Tracy <traceyghdi@gmail.com>; Brian Doolittle <ganowa@me.com>
Subject: RE: PD7 Elevated Water Storage Facility

Dear Mr. Williams,

Thanks for your information.

The field work for the Natural Heritage Investigations has been completed and the report will be ready by early next week. We will send you a copy of the report shortly.

Please feel free to contact us if you have any questions.

Thank you.

Shelley Kuan, P. Eng.
Hydraulic Technical Manager
Modelling Lead
Water Management
Cole Engineering Group Ltd.
70 Valleywood Drive, Markham, ON L3R 4T5
T: 905-940-6161 Ext. 371 Tor. Line: 905-987-6161
F: 905-940-2064
E: skuan@ColeEngineering.ca
www.ColeEngineering.ca

From: Todd Williams [mailto:williams.todde@gmail.com]
Sent: August-24-18 1:46 PM
To: Shelley Kuan <SKuan@coleengineering.ca>
Cc: hdi2@bellnet.ca; winston.wang@hamilton.ca; HDI Tracy <traceyghdi@gmail.com>; Brian Doolittle <ganowa@me.com>
Subject: Re: PD7 Elevated Water Storage Facility

Afternoon Shelley,

Thanks for the report, you've mentioned that the Natural Heritage investigations are still underway. As I mentioned on the comment sheet for the project, HDI is interested in participating in field assessments.

Who should I be contacting, to negotiate monitoring contracts for these assessments/investigations?

Thanks Todd

On Thu, Aug 23, 2018 at 5:03 PM, Shelley Kuan <SKuan@coleengineering.ca> wrote:
Dear Mr. Williams,
Good afternoon.

As requested, enclosed please find a copy of the Cultural Heritage Resource Assessment. The Natural Heritage Investigation is undertaken and it will be provided as it becomes available.

Please feel free to contact us if you have any questions.

Thank you.

Shelley Kuan, P. Eng.

Hydraulic Technical Manager

Modelling Lead

Water Management

Cole Engineering Group Ltd.

70 Valleywood Drive, Markham, ON L3R 4T5

T: 905-940-6161 Ext. 371 Tor. Line: 905-987-6161

F: 905-940-2064

E: skuan@ColeEngineering.ca

www.ColeEngineering.ca

From: Todd Williams [mailto:williams.todde@gmail.com]

Sent: August-23-18 10:37 AM

To: Shelley Kuan <SKuan@coleengineering.ca>

Cc: hdi2@bellnet.ca; winston.wang@hamilton.ca; HDI Tracy <traceyghdi@gmail.com>; Brian Doolittle <ganowa@me.com>

Subject: Re: PD7 Elevated Water Storage Facility

Morning Shelley,

Just letting you know your email was received by me and also hdi2@bellnet.ca

Todd

From: Shelley Kuan

Sent: August-22-18 2:12 PM

To: 'Todd Williams' <williams.todde@gmail.com>; 'hdi2@bellnet.ca' <hdi2@bellnet.ca>

Cc: winston.wang@hamilton.ca; HDI Tracy <traceyghdi@gmail.com>; Brian Doolittle <ganowa@me.com>

Subject: RE: PD7 Elevated Water Storage Facility [Filed 22 Aug 2018 14:12]

Dear Mr. Williams,

Thank you for your comments.

As requested, enclosed please find a copy of the Stage 1 Archaeological Assessment Report including the Supplementary Document.

Please feel free to contact us if you have any questions.

Thank you.

Shelley Kuan, P. Eng.

Hydraulic Technical Manager

Modelling Lead

Water Management

Cole Engineering Group Ltd.
70 Valleywood Drive, Markham, ON L3R 4T5
T: 905-940-6161 Ext. 371 Tor. Line: 905-987-6161
F: 905-940-2064
E: skuan@ColeEngineering.ca
www.ColeEngineering.ca

From: Todd Williams [mailto:williams.todde@gmail.com]
Sent: August-20-18 3:38 PM
To: Shelley Kuan <SKuan@coleengineering.ca>
Cc: winston.wang@hamilton.ca; HDI Tracy <traceyghdi@gmail.com>; Brian Doolittle <ganowa@me.com>
Subject: Fwd: PD7 Elevated Water Storage Facility

Afternoon Shelley,

Please see attached Comment Sheet for the Elfrida PD7 Water Facilities MCEA Study

If you have any questions, you can give me a call at the numbers provided below

Thanks

Todd E. Williams, P.Eng.
Monitoring Program Coordinator
Haudenosaunee Development Institute (HDI)
Haudenosaunee Confederacy Chiefs Council (HCCC)
Six Nations of the Grand River Territory
O: 519-445-4222
M: 519-761-1794
<https://www.haudenosauneeconfederacy.com/>

Begin forwarded message:
From: Shelley Kuan <SKuan@coleengineering.ca>
Subject: PD7 Elevated Water Storage Facility
Date: August 1, 2018 at 6:23:42 PM EDT
To: "traceyghdi@gmail.com" <traceyghdi@gmail.com>
Cc: "Wang, Winston" <Winston.Wang@hamilton.ca>, "hdi2@bellnet.ca" <hdi2@bellnet.ca>

Dear Ms. General,

Thanks for returning our phone call on behalf of Mr. MacNaughton of Haudenosaunee Confederacy Council.

As mentioned, the City sent a copy of PIC#2 Notice letter to Mr. MacNaughton in early June 2018, but receiving no reply we thought your letter might have been lost.

As suggested, the PIC#2 Notice and comment sheet for the PD7 Elevated Water Storage Facility are attached for your information.

We would appreciate any comments regarding to the study. Please fill out the attached comment sheet and send to us by August 15, 2018.

In the meantime, if you have any questions or require additional information, please do not hesitate to contact us.

Thank you.

Shelley Kuan, P. Eng.
Hydraulic Technical Manager
Modelling Lead
Water Management
Cole Engineering Group Ltd.
70 Valleywood Drive, Markham, ON L3R 4T5
T: 905-940-6161 Ext. 371 Tor. Line: 905-987-6161
F: 905-940-2064
E: skuan@ColeEngineering.ca
www.ColeEngineering.ca

Comment Sheet
Public Information Centre #2 – June 12, 2018

The City of Hamilton is conducting a Municipal Class Environmental Assessment (EA) study to identify the preferred site for a new elevated water storage facility and a new pumping station. As identified in previous studies completed by the City, these new infrastructures are required for security of supply, water system balancing, and to provide water supply for future growth within the southeast mountain area (Pressure District 7).

We are interested in your comments and suggestions regarding this project. Please take a few minutes to complete this comment sheet.

1. Why are you interested in this project?

THE ARCHAEOLOGY AND ENVIRONMENTAL ASPECTS
OF THE MCEA STUDY

2. The alternative sites will be compared based on the evaluation criteria listed on the displays. Are there any other criteria that should be considered? Yes No

3. What impacts might this project have on you?

- IDENTIFY ARCHAEOLOGY SITES
- IDENTIFY ENVIRONMENTAL/CULTURAL SITES

4. Do you have any additional comments or require further information about the project?

- PLEASE INCLUDE HDE MONITORS IN FIELD
ASSESSMENTS (ARCH & ENVIRONMENTAL)
- NOTIFY HDE, START OF ARCH & ENVIRONMENT STUDIES
- PLEASE FORWARD COMPLETED ASSESSMENT REPORTS
THROUGHOUT PROJECT (ARCH & ENVIRONMENTAL)
- SEND TO FOLLOWING EMAIL: hdi2@bellnet.ca

5. Would you like to be added to the project mailing list? Yes No

Please submit your written comments before leaving the Public Information Centre.

If you require more time to comment, please send your comments to either of the following Project Team Members by July 25, 2018:

Shelley Kuan, P. Eng., Project Manager
Cole Engineering Group Ltd.
70 Valleywood Drive
Markham, ON L3R 4T5
Tel: 905-940-6161 Ext. 371
E: skuan@ColeEngineering.ca

Winston Wan, P. Eng., Project Manager
City of Hamilton
77 James Street North, Suite 400
Hamilton, ON L8R 2K3
Tel: 905-546-2424 Ext. 4092
Email: winston.wang@hamilton.ca

PLEASE CLEARLY PRINT YOUR NAME AND CONTACT INFORMATION BELOW.

First Name: TODD Street: _____
Last Name: Williams City: _____
Telephone: 519-445-4222 Postal Code: _____
E-Mail: williams.todde@gmail.com Fax: _____

Comments and information regarding this project are being collected to assist the City of Hamilton in completing the Municipal Class EA. This material will be maintained on file for use during the project and may be included in the project documentation. Information collected will be used in accordance with the *Freedom of Information and Privacy Act*. With the exception of personal information, all comments will become part of the public record.

From: Shelley Kuan
Sent: August-07-18 4:17 PM
To: 'Megan DeVries' <Megan.DeVries@mncfn.ca>
Cc: Joelle Williams <Joelle.Williams@mncfn.ca>; 'Wang, Winston' <Winston.Wang@hamilton.ca>; Philip Gray <pgray@coleengineering.ca>
Subject: RE: FLR Participation Contract -Elevated Water Storage Facility and Pumping Station EA [Filed 07 Aug 2018 16:16]

Hello Megan,

Thank you for the clarification.

As requested, please refer to the attached ASI Stage 1 archaeological report for your information.

It is currently anticipated that the recommended Elevated Water Storage Facility (EWSF) is EWSF Site 3 and the pumping station (PS) is PS Site 1.

If a Stage 2 archaeological report is required for the project, the Mississaugas of New Credit First Nation (MNCFA) will be informed and the MNCFA field participation agreement will be executed in the future.

Please do not hesitate to contact us, if you have any questions or require additional information,

Thank you.

Shelley Kuan, P. Eng.
Hydraulic Technical Manager
Modelling Lead
Water Management

Cole Engineering Group Ltd.
70 Valleywood Drive, Markham, ON L3R 4T5
T: 905-940-6161 Ext. 371 Tor. Line: 905-987-6161
F: 905-940-2064
E: skuan@ColeEngineering.ca
www.ColeEngineering.ca

CONFIDENTIALITY NOTE

This transmission is intended only for the use of the individual(s) or the entity to which it is addressed. It may contain Confidential / Privileged information belonging to the sender which is protected by personal and copyright privilege. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this information is prohibited. If you have received this transmission in error, please immediately notify us by telephone or e-mail. Thank you

From: Megan DeVries [<mailto:Megan.DeVries@mncfn.ca>]
Sent: August-07-18 3:19 PM
To: Shelley Kuan <SKuan@coleengineering.ca>
Cc: Joelle Williams <Joelle.Williams@mncfn.ca>
Subject: RE: FLR Participation Contract -Elevated Water Storage Facility and Pumping Station EA

Good afternoon Shelley,

Joelle mentioned that you had called this morning, asking for clarification regarding the upcoming archaeological assessments for this project.

We do not require field participation at the Stage 1 level. If a Stage 2 is required, our Field Liaison Representatives must be on site. If a Stage 2 is required and planned to take place in the near future, please let me know and I will resend the participation agreement.

Please let me know if you have any additional questions.

Sincerely,
Megan.

Megan DeVries, M.A.
Archaeological Operations Supervisor
Department of Consultation and Accommodation (DOCA)
Mississaugas of the New Credit First Nation (MNCFN)
4065 Highway 6 North, Hagersville, ON NOA 1H0
P: 905-768-4260 | M: 289-527-2763
<http://www.mncfn.ca>

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of the Mississaugas of the New Credit First Nation.

From: Joelle Williams
Sent: Tuesday, August 07, 2018 11:09 AM
To: Megan DeVries
Subject: FW: FLR Participation Contract -Elevated Water Storage Facility and Pumping Station EA

Megan,

Please follow-up with Shelly. She called and I think she wants confirmation that a contract is not required for Stage 1.

Thank you,
Joelle

From: Megan DeVries
Sent: Tuesday, May 8, 2018 12:48 PM
To: Shelley Kuan
Cc: ebrandy@asiheritage.ca; Wang, Winston; DOCA
Subject: RE: FLR Participation Contract -Elevated Water Storage Facility and Pumping Station EA

Hi Shelley,

Thank you for your patience in my absence.

MNCFN does not have an in-field participation requirement at the Stage 1 level. We do, however, require a copy of the draft report before its submission to the Ministry of Tourism, Culture, and Sport for our review.

MNCFN does have an in-field participation requirement for Stage 2; hence the agreement supplied. ASI will be able to provide you with direction on whether a Stage 2 will be required. We are happy to execute the agreement now in anticipation of that upcoming fieldwork or wait until ASI has confirmed its requirement.

Kind regards,
Megan.

Megan DeVries, M.A.
Archaeological Coordinator
Department of Consultation and Accommodation (DOCA)
Mississaugas of the New Credit First Nation (MNCFN)
4065 Highway 6 North, Hagersville, ON N0A 1H0
P: 905-768-4260 | M: 289-527-2763
<http://www.mncfn.ca>

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of the Mississaugas of the New Credit First Nation.

From: Shelley Kuan [<mailto:SKuan@coleengineering.ca>]
Sent: Friday, May 04, 2018 11:09 AM
To: DOCA
Cc: Megan DeVries; ebrandy@asiheritage.ca; Wang, Winston
Subject: RE: FLR Participation Contract -Elevated Water Storage Facility and Pumping Station EA

Hi Joelle,

Thanks for your information.

As discussed, Stage 1 Archaeological Assessment is planned to be performed for the project at this time.

Please let us know if we still need to sign the form.

Please feel free to contact us if you have any questions.

Thank you.

Shelley Kuan, P. Eng.
Hydraulic Technical Manager
Modelling Lead
Water Management

Cole Engineering Group Ltd.
70 Valleywood Drive, Markham, ON L3R 4T5
T: 905-940-6161 Ext. 371 Tor. Line: 905-987-6161
F: 905-940-2064
E: skuan@ColeEngineering.ca
www.ColeEngineering.ca

CONFIDENTIALITY NOTE

This transmission is intended only for the use of the individual(s) or the entity to which it is addressed. It may contain Confidential / Privileged information belonging to the sender which is protected by personal and copyright privilege. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this information is prohibited. If you have received this transmission in error, please immediately notify us by telephone or e-mail. Thank you

From: DOCA [<mailto:DOCA@mncfn.ca>]

Sent: May-04-18 10:56 AM

To: Shelley Kuan <SKuan@coleengineering.ca>

Cc: Megan DeVries <Megan.DeVries@mncfn.ca>

Subject: FLR Participation Contract -Elevated Water Storage Facility and Pumping Station EA

I am writing to you as the Archaeological Assistant at the Mississaugas of the New Credit First Nation [MNCFN].

I was notified about this project by Eliza Brandy-ASI. Please note that it is our policy at MNCFN that all consultation should be carried out directly between the First Nation and the proponent, rather than through a consultant.

I understand that for some proponents this can be unfamiliar territory. Therefore, please allow me to provide you with some background:

The Mississaugas of the New Credit First Nation [MNCFN] formed the Department of Consultation and Accommodation in January 2015, in order to respond to rapid and consistent development within its treaty territory. Both the authorities who approve this development and the proponents who drive it have certain consultation responsibilities to the Nation, as a result of MNCFN's Aboriginal and treaty rights and our continued interests and concerns regarding the land. One of the ways we require proponents to engage with us is in providing transparency during the environmental survey and archaeological assessment process. The best way to accomplish this is by having Field Liaison Representatives on location while fieldwork is occurring, who can ensure that the Nation's special interests and concerns are respected and considered during the fieldwork. The cultural and natural resources in question are part of MNCFN's treaty territory and heritage, and it is our responsibility to ensure their protection, on behalf of the Nation.

Therefore, MNCFN insists that its Field Liaison Representatives ("FLRs") are on site whenever any environmental or archaeological fieldwork (Stages 2 through 4) is occurring within our treaty territory. Our preference is that the cost for the participation of our FLRs is covered by the proponent, not the consultant, whom we view as having the ultimate responsibility to consult with the Nation. Please also note that MNCFN requires two of its Field Liaison Representatives to be on location whenever fieldwork is taking place within its treaty territory. The reason for this is so that FLRs can provide support and security for each other in the field. This has become a requirement in light of uncommon, but unfortunate, occurrences when FLRs have felt pressured or intimidated from external persons while at work locations. We ask that you would respect this request.

Therefore, please find attached the contract that covers MNCFN's participation in the upcoming fieldwork. This contract covers both environmental and archaeological fieldwork. The costs associated with this involvement reflect a number of expenses not visible at first glance: payment for the Field Liaison Representatives themselves, operational costs for the department, and efforts to engage the community to garner feedback on these projects. If you could please fill in the additional required information, highlighted in yellow, and return to us a signed copy, that would be greatly appreciated. After we have received it, we can execute the contract on our end and return the

completed contract to you. Afterwards, I can arrange scheduling and other related matters directly with the consultant if you prefer.

For your information, the Federal Canada Treasury Board guidelines can be located at the following web addresses. Currently, they are as follows:

Mileage (\$0.575/km): <https://www.njc-cnm.gc.ca/directive/d10/v238/s658/en#s658-tc-tm>

Meal Allowance (up to \$86.80 a day): <https://www.njc-cnm.gc.ca/directive/d10/v238/s659/en#s659-tc-tm>

Please let me know if you have any questions or concerns.

Sincerely,

Joelle Williams

Archaeological/Environmental Assistant

Mississaugas of the New Credit First Nation
Department of Consultation & Accommodation
4065 Highway 6 North, Hagersville, ON N0A 1H0
P: 905-768-4260 | M: 905-870-2918

[Email:doca@mncfn.ca](mailto:doca@mncfn.ca)

<http://www.mncfn.ca>

****This e-mail and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient, you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. Please note that any views or opinions presented in this e-mail are solely those of the author and do not necessarily represent those of the Mississaugas of the New Credit First Nation.****

**Field Liaison Representative Agreement between:
The Mississaugas of the New Credit First Nation
and
[name of proponent]**

A - Background

1. The purpose of this letter of agreement is to provide the Mississaugas of the New Credit First Nation (hereinafter, "MNCFN") with the capacity assistance to its Field Liaison Representatives (hereinafter, "FLRs") in connection with the 2018 environmental and/or archaeological assessments required for the [name of project] located at [address], Ontario, owned by [name of proponent], (hereinafter, "The Proponent").
2. We, The Proponent, understand that MNCFN wishes to send its FLRs to participate in and oversee the fieldwork associated with the Project, and that the FLRs' mandate will be to ensure that MNCFN's perspectives and priorities are considered and to enable MNCFN to provide timely and meaningful comment on the Project.

B – Fees and Cost Structure

3. The Parties agree that The Proponent, will provide capacity funding for each FLR in the amount of \$75.00 per hour including actual travel time at the beginning and end of the day.
4. The Parties agree that the Proponent will pay a supervisory fee of 2.5%, based on the number of hours charged to the Proponent, to provide MNCFN with the capacity to facilitate in-field technical support for the FLRs.
5. The Parties agree that the Proponent will reimburse the FLRs for reasonable mileage and meals in accordance with current Federal Canada Treasury Board guidelines, over and above the hourly rate of \$75.00 per hour [see Appendix A]. Mileage rates are determined using the MNCFN Department of Consultation and Accommodation as the place of departure.
6. The Parties agree that Proponent will provide capacity funding for each FLR in the amount of \$100.00 per hour for any work exceeding eight hours per day and/or forty hours per week. The above noted mileage and meal allowance remains in effect.

7. The Parties agree that Proponent will provide capacity funding for each FLR in the amount of \$100.00 per hour for any work occurring on the following holidays: New Year’s Day, Family Day, Good Friday, Victoria Day, Indigenous Solidarity Day, Canada Day, Civic Holiday, Labour Day, Thanksgiving Day, Remembrance Day, Christmas Day, and Boxing Day. The above noted mileage and meal allowance rates remain in effect.
8. The Parties agree that FLRs will be paid for a minimum of four hours, plus actual travel time, mileage, and meal allowance rates as noted above, on any day when fieldwork is cancelled while FLRs are en route to the work site or after the FLRs have already arrived.

C – Additional Conditions

9. We, The Proponent, understand that MNCFN requires two of its Field Liaison Representatives to be on location whenever fieldwork is taking place within its treaty territory. Furthermore, additional FLRs are required if the number of field personnel utilized by the consultant exceeds fourteen (14) individuals and agree to provide capacity funding for additional FLRs as required. MNCFN requires one additional FLR per five additional field crew, as outlined in the chart below:

Number of Field Personnel	Number of FLRs Required
1 to 14	2
15 to 19	3
20 to 24	4
25 to 29	5
30 to 34	6
35 to 39	7
40+	8+

10. If its use is deemed necessary by both Parties, the Proponent agrees to reimburse the FLRs for their use of the 407ETR upon receipt of a copy of the bill. This agreement will be provided in writing to MNCFN’s Archaeological Coordinator.
11. If deemed reasonable by both Parties, the Proponent agrees to cover the cost of overnight accommodation for FLRs participating in environmental and/or archaeological fieldwork at locations which would otherwise require more than 90 minutes of travel time at both the beginning and end of the work day, as determined using the MNCFN Department of Consultation and Accommodation as the place of departure. An additional Incidental Allowance fee is required for any work which requires overnight accommodations [see Appendix A]. This agreement will be provided in writing to MNCFN’s Archaeological Coordinator.

D - Coordination of the FLRs

12. The Parties agree that the FLRs will follow the reasonable instructions of the consultant firm(s) conducting the environmental and/or archaeological work, concerning safety practices, and that the FLRs will attend “tailgate” safety meetings if requested.

13. The contact person for the environmental assessment portion of the fieldwork is [name of contact person #1] from [name of consultant]. Contact information for this person is as follows:
[insert contact information here]

14. The contact person for the archaeological assessment portion of the fieldwork is [name of contact person #2] from [name of consultant]. Contact information for this person is as follows:
[insert contact information here]

15. The Parties agree that the contact person for the consultant firm(s) will coordinate site meeting locations and times through MNCFN’s duly appointed Archaeological Coordinator or, when necessary, directly with the FLRs themselves. Contact information for the Archaeological Coordinator is as follows:
Megan DeVries
Telephone: 905-768-4260
Cell: 289-527-2763
Email: megan.devries@mncfn.ca

E - Status of the FLRs

16. The FLRs selected by MNCFN have appropriate qualifications for the work required, for example, training in environmental and/or archaeological monitoring, and experience in bridging Indigenous perspectives with Western approaches, as reasonably determined by MNCFN.

17. The Parties agree that the FLRs are not employees, contractors, or sub-contractors of The Proponent or their consultant(s) and that the FLRs will be responsible for their own personal protective equipment, such as hard hats, safety boots, and safety vests.

F - Method of Payment

18. The Parties agree that The Proponent will pay the capacity funding as agreed to above by cheque or bank transfer and upon receipt of an invoice from MNCFN explaining in reasonable detail each FLRs' time, fees, reasonable mileage, meal allowance, and nature of work performed, allocated against each of the Projects. All invoices should be addressed directly to [name of proponent] and the relevant Project should be noted in the text of each invoice. Invoices should be submitted electronically to the following address:

Email address: [insert email address here]

Attention: [insert name here]

[name of proponent]

[full address of proponent]

G – Disclaimer

19. The Parties agree that the capacity funding payments for the FLRs will be used only for the purposes described in this letter of agreement and will not be paid for the improper personal gain of any individual or for any other purpose that might violate any Canadian anti-corruption law.

20. If this letter of agreement accurately reflects your understanding of the terms of our agreement and you agree to be legally bound thereby, as we do, please execute this letter of agreement (in counterparts, if necessary) where indicated below and return a copy thereof to the undersigned.

21. The foregoing accurately reflects the terms of arrangement which we hereby agree to enter into and the undersigned agrees to be legally bound hereby.

[The remainder of this page is intentionally left blank.]

Signed this _____ day of _____, 2018,

Authorized Signatory on behalf of
[name of proponent]

[printed name of signatory]
[job title]
[department]
[name of proponent]

Authorized Signatory on behalf of
Mississaugas of the New Credit First Nation

Mark LaForme
Director
Dept. of Consultation and Accommodation
Mississaugas of the New Credit First Nation

Witness

[printed name of witness]
[job title]
[department]
[name of proponent]

Witness

Megan DeVries
Archaeological Coordinator
Dept. of Consultation and Accommodation
Mississaugas of the New Credit First Nation

Appendix A

MISSISSAUGAS OF THE NEW CREDIT FIRST NATION MILEAGE & ALLOWANCE CHART

EFFECTIVE APRIL 1, 2018

MILEAGE

\$ 0.575 per KM

<https://www.nic-cnm.gc.ca/directive/d10/v238/s658/en#s658-tc-tm>

MEAL ALLOWANCE

not eligible if:

BREAKFAST	\$	19.45	leave after 8am; get home before 7:30am
LUNCH	\$	19.20	leave after 1:15pm; get home before 12:15pm
DINNER	\$	48.15	leave after 7pm; get home before 6:30pm
INCIDENTALS	\$	17.30	not staying overnight

<https://www.nic-cnm.gc.ca/directive/d10/v238/s659/en#s659-tc-tm>

From: Maxime Picard [mailto:maxime.picard@cnhw.qc.ca]
Sent: August-07-18 2:46 PM
To: Shelley Kuan <SKuan@coleengineering.ca>
Subject: RE: Elevated Water Storage Facility

Thanks Shelley.



NATION HURONNE-WENDAT
Bureau du Nionwentsio

Maxime Picard, B. Sc. A.
Coordonnateur de projets - Ontario
255, Place Chef Michel-Laveau
Wendake (Qc) G0A 4V0
Téléphone : 418-843-3767 # 2105
Courriel : maxime.picard@cnhw.qc.ca



*Devez-vous vraiment imprimer ce courriel?
Pensons à l'environnement*
*Do you really need to print this email?
Think to the environment*

Avis sur la protection et la confidentialité des informations

L'information contenue dans ce courriel est confidentielle et protégée en vertu des lois et règlements applicables. Son contenu est réservé au(x) destinataire(s) à qui il est adressé. Il est donc interdit de le diffuser ou d'en dévoiler les intentions. Si vous recevez ce message par erreur, veuillez le détruire et nous en faire part dans les plus brefs délais.

Warning on protection and confidentiality of information

The information contained in this e-mail is confidential and protected in accordance with the applicable laws and regulations. Its content is intended specifically for the recipient(s) to whom it is addressed. It is therefore prohibited to distribute or to disclose the content. If you receive this communication by error, please destroy it and notify us as soon as possible.

De : Shelley Kuan [mailto:SKuan@coleengineering.ca]

Envoyé : 7 août 2018 14:05

À : Maxime Picard

Cc : Winston.Wang@hamilton.ca

Objet : RE: Elevated Water Storage Facility

Dear Ms. Picard,

Thanks for your information,

Noted.

The City's project team will inform the Huron-Wendat Nation if the project is required any fieldwork for the Stage 3 Archaeological Assessment in the future.

Please feel free to contact us if you have any questions.

Thank you.
Shelley Kuan, P. Eng.
Hydraulic Technical Manager
Modelling Lead
Water Management

Cole Engineering Group Ltd.

70 Valleywood Drive, Markham, ON L3R 4T5
T: 905-940-6161 Ext. 371 Tor. Line: 905-987-6161
F: 905-940-2064
E: skuan@ColeEngineering.ca
www.ColeEngineering.ca

CONFIDENTIALITY NOTE

This transmission is intended only for the use of the individual(s) or the entity to which it is addressed. It may contain Confidential / Privileged information belonging to the sender which is protected by personal and copyright privilege. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this information is prohibited. If you have received this transmission in error, please immediately notify us by telephone or e-mail. Thank you

From: Maxime Picard [<mailto:maxime.picard@cnhw.qc.ca>]

Sent: August-06-18 8:38 AM

To: Shelley Kuan <SKuan@coleengineering.ca>

Cc: Winston.Wang@hamilton.ca

Subject: RE: Elevated Water Storage Facility

Good morning Shelley,

Thanks for the information.

In the event that any Stage 3 fieldwork is necessary, the Huron-Wendat Nation would like to participate in the assessment.

Please keep us updated.

Best regards,

Maxime Picard



NATION HURONNE-WENDAT
Bureau du Nionwentsiö

Maxime Picard, B. Sc. A.
Coordonnateur de projets - Ontario
255, Place Chef Michel-Laveau
Wendake (Qc) G0A 4V0
Téléphone : 418-843-3767 # 2105
Courriel : maxime.picard@cnhw.qc.ca



*Devez-vous vraiment imprimer ce courriel?
Pensons à l'environnement
Do you really need to print this email?
Think to the environment*

Avis sur la protection et la confidentialité des informations

L'information contenue dans ce courriel est confidentielle et protégée en vertu des lois et règlements applicables. Son contenu est réservé au(x) destinataire(s) à qui il est adressé. Il est donc interdit de le diffuser ou d'en dévoiler les intentions. Si vous recevez ce message par erreur, veuillez le détruire et nous en faire part dans les plus brefs délais.

Warning on protection and confidentiality of information

The information contained in this e-mail is confidential and protected in accordance with the applicable laws and regulations. Its content is intended specifically for the recipient(s) to whom it is addressed. It is therefore prohibited to distribute or to disclose the content. If you receive this communication by error, please destroy it and notify us as soon as possible.

From: Shelley Kuan

Sent: August-01-18 4:11 PM

To: 'Maxime Picard' <maxime.picard@cnhw.qc.ca>
Cc: 'Wang, Winston' <Winston.Wang@hamilton.ca>
Subject: RE: Elevated Water Storage Facility

Dear Ms. Picard,
As requested, please refer to the attached archaeological report for your information.
It is currently anticipated that the recommended sites EWSF Site 3 for Elevated Water Storage Facility and PS Site 1 for the pumping station.
We would appreciate any comments regarding these sites. If you have any questions or require additional information, please do not hesitate to contact us.

Thank you.

Shelley Kuan, P. Eng.
Hydraulic Technical Manager
Modelling Lead
Water Management

Cole Engineering Group Ltd.
70 Valleywood Drive, Markham, ON L3R 4T5
T: 905-940-6161 Ext. 371 Tor. Line: 905-987-6161
F: 905-940-2064
E: skuan@ColeEngineering.ca
www.ColeEngineering.ca

CONFIDENTIALITY NOTE

This transmission is intended only for the use of the individual(s) or the entity to which it is addressed. It may contain Confidential / Privileged information belonging to the sender which is protected by personal and copyright privilege. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this information is prohibited. If you have received this transmission in error, please immediately notify us by telephone or e-mail. Thank you

From: Shelley Kuan
Sent: July-31-18 2:56 PM
To: 'Maxime Picard' <maxime.picard@cnhw.qc.ca>
Cc: 'Wang, Winston' <Winston.Wang@hamilton.ca>
Subject: RE: Elevated Water Storage Facility

Hi Maxime,

Thanks for your information.

We will send you a copy of the final report asap.

Thanks.

Please feel free to contact us if you have any questions.

Thank you.

Shelley Kuan, P. Eng.
Hydraulic Technical Manager
Modelling Lead

Water Management

Cole Engineering Group Ltd.

70 Valleywood Drive, Markham, ON L3R 4T5
T: 905-940-6161 Ext. 371 Tor. Line: 905-987-6161
F: 905-940-2064
E: skuan@ColeEngineering.ca
www.ColeEngineering.ca

CONFIDENTIALITY NOTE

This transmission is intended only for the use of the individual(s) or the entity to which it is addressed. It may contain Confidential / Privileged information belonging to the sender which is protected by personal and copyright privilege. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this information is prohibited. If you have received this transmission in error, please immediately notify us by telephone or e-mail. Thank you

From: Maxime Picard [<mailto:maxime.picard@cnhw.qc.ca>]
Sent: July-31-18 2:05 PM
To: Shelley Kuan <SKuan@coleengineering.ca>
Subject: TR: Elevated Water Storage Facility

Good afternoon,

Just received a voice mail from one of your colleague asking the comments of the Huron-Wendat Nation on this project.

Before doing so, could you please send us the archaeological report if completed and available?

Best regards,

Maxime Picard



NATION HURONNE-WENDAT
Bureau du Nionwentsio

Maxime Picard, B. Sc. A.
Coordonnateur de projets - Ontario
255, Place Chef Michel-Laveau
Wendake (Qc) G0A 4V0
Téléphone : 418-843-3767 # 2105
Courriel : maxime.picard@cnhw.qc.ca



*Devez-vous vraiment imprimer ce courriel?
Pensons à l'environnement*
*Do you really need to print this email?
Think to the environment*

Avis sur la protection et la confidentialité des informations

L'information contenue dans ce courriel est confidentielle et protégée en vertu des lois et règlements applicables. Son contenu est réservé au(x) destinataire(s) à qui il est adressé. Il est donc interdit de le diffuser ou d'en dévoiler les intentions. Si vous recevez ce message par erreur, veuillez le détruire et nous en faire part dans les plus brefs délais.

Warning on protection and confidentiality of information

The information contained in this e-mail is confidential and protected in accordance with the applicable laws and regulations. Its content is intended specifically for the recipient(s) to whom it is addressed. It is therefore prohibited to distribute or to disclose the content. If you receive this communication by error, please destroy it and notify us as soon as possible.

De : Wang, Winston [<mailto:Winston.Wang@hamilton.ca>]

Envoyé : 28 mai 2018 08:15

À : Maxime Picard
Cc : Shelley Kuan
Objet : RE: Elevated Water Storage Facility

Thanks Maxime for your information and the archaeological assessment was initiated and the report is not available as of yet. Once the final report is available, we will send to you for your information.

Regards,

Winston Wang, M. A. Sc., P. Eng.
Project Manager, Water & Wastewater Planning
Water and Wastewater Systems Planning Section
Hamilton Water, Public Works Department, City of Hamilton
77 James Street North, Suite 400, Hamilton, ON L8R 2K3
Tel: 905-546-2424 Ext. 4092 Fax: 905-546-4491 Email: winston.wang@hamilton.ca

From: Maxime Picard [<mailto:maxime.picard@cnhw.qc.ca>]
Sent: May 24, 2018 3:35 PM
To: Wang, Winston <Winston.Wang@hamilton.ca>
Subject: Elevated Water Storage Facility

Good afternoon Winston,


We received the notice of the PIC #2 for the Elevated Water Storage Facility Project. Could you please let us know if any archaeological assessment have been done yet on this project or if any are anticipated?

Best regards,
Maxime Picard



NATION HURONNE-WENDAT
Bureau du Nionwentsiö

Maxime Picard, B. Sc. A.
Coordonnateur de projets - Ontario
255, Place Chef Michel-Laveau
Wendake (Qc) G0A 4V0
Téléphone : 418-843-3767 # 2105
Courriel : maxime.picard@cnhw.qc.ca



Avis sur la protection et la confidentialité des informations

L'information contenue dans ce courriel est confidentielle et protégée en vertu des lois et règlements applicables. Son contenu est réservé au(x) destinataire(s) à qui il est adressé. Il est donc interdit de le diffuser ou d'en dévoiler les intentions. Si vous recevez ce message par erreur, veuillez le détruire et nous en faire part dans les plus brefs délais.

Warning on protection and confidentiality of information

The information contained in this e-mail is confidential and protected in accordance with the applicable laws and regulations. Its content is intended specifically for the recipient(s) to whom it is addressed. It is therefore prohibited to distribute or to disclose the content. If you receive this communication by error, please destroy it and notify us as soon as possible.

From: Shelley Kuan
Sent: August-01-18 6:33 PM
To: 'pgeneral@sixnations.ca' <pgeneral@sixnations.ca>
Subject: PD7 Elevated Water Storage Facility

Dear Mr. General,

Thanks for returning our phone call.

As mentioned, the City sent you a copy of PIC#2 Notice letter in early June 2018, but receiving no reply we thought your letter might have been lost.

As suggested, the PIC#2 Notice and comment sheet for the PD7 Elevated Water Storage Facility are attached for your information.

We would appreciate any comments regarding to the study. Please fill out the attached comment sheet and send to us by August 15, 2018.

In the meantime, if you have any questions or require additional information, please do not hesitate to contact us.

Thank you.

Shelley Kuan, P. Eng.
Hydraulic Technical Manager
Modelling Lead
Water Management

Cole Engineering Group Ltd.
70 Valleywood Drive, Markham, ON L3R 4T5
T: 905-940-6161 Ext. 371 Tor. Line: 905-987-6161
F: 905-940-2064
E: skuan@ColeEngineering.ca
www.ColeEngineering.ca


CONFIDENTIALITY NOTE

This transmission is intended only for the use of the individual(s) or the entity to which it is addressed. It may contain Confidential / Privileged information belonging to the sender which is protected by personal and copyright privilege. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this information is prohibited. If you have received this transmission in error, please immediately notify us by telephone or e-mail. Thank you

LET'S TALK! ELFRIDA

TUESDAY **JUNE 12** **2018** **6:00 - 8:30 PM**
Presentation at 6:30 pm
VALLEY PARK RECREATION CENTRE AND ARENA (GYMNASIUM)
970 Paramount Drive
Stoney Creek, Hamilton

COMMUNITY MEETING



ELFRIDA GROWTH AREA STUDY

The City of Hamilton is growing and the population is projected to increase to 680,000 by 2031. While the City has made efforts to grow within its current urban boundary, an urban boundary expansion is required to accommodate future population growth. In reviewing opportunities for where future growth could occur, the Elfrida area was identified as the preferred location.

HELP SHAPE THE NEW COMMUNITY FOR ELFRIDA

Gather your friends and neighbours and join us to share your ideas as we plan for a new community in the Elfrida Area. At this meeting staff will discuss the evaluation process for the three development scenarios that were presented at the last meeting, and the preferred community structure ideas which will be carried forward to a future recommended plan. We need you to let us know what you think of the evaluation and if there are other things we need to consider.

The meeting will include a presentation about the evaluation process and preferred community structure ideas followed by small group discussions about the different preferred elements. Input is important and will be used to complete the evaluation and confirm the community structure ideas that should be carried forward to shape a recommended plan.

FOR MORE INFORMATION CONTACT

Melanie Pham, MCIP, RPP
Planner
905-546-2424 Ext. 6685
Melanie.Pham@hamilton.ca

www.hamilton.ca/elfrida

ELFRIDA SUBWATERSHED STUDY

NOTICE OF PUBLIC INFORMATION CENTRE 2

The Subwatershed study is intended to present an approach to manage, protect, and enhance the natural environment. This includes stormwater management (quality and quantity), as well as terrestrial and aquatic resources within the Elfrida study area limits. Major issues and opportunities have been identified which provide the basis to guide future growth in an environmentally sound manner. The Phase 1 findings have been updated since the June 2017 study commencement/public consultation and will be available at the community meeting. This Study follows the planning and design process defined in the Municipal Engineers Association's Municipal Class Environmental Assessment document (October 2000, as amended in 2007, 2011 & 2015).

FOR MORE INFORMATION CONTACT

www.hamilton.ca/elfridaSWS

Melanie Anderton
Project Manager
905-546-2424 Ext. 6412
iplanning@hamilton.ca

ELEVATED WATER STORAGE FACILITY AND PUMPING STATION STUDY FOR PRESSURE DISTRICT 7

NOTICE OF PUBLIC INFORMATION CENTRE 2

This study commenced in 2017 and the first Public Information Centre was held on December 6, 2017. At this second meeting, the City will have information available on the Municipal Class Environmental Assessment (Class EA) study initiated to identify the preferred site for a new water storage facility and pumping station. This study also follows the requirements for a Schedule "B" project as described in the Municipal Engineers Association's Municipal Class EA document (October 2000, as amended in 2007, 2011 & 2015). Study details, including background information, alternative siting options, evaluation results, recommended sites, and proposed mitigation measures will be available at the community meeting. All interested individuals are encouraged to attend. Written comments are also invited for further consideration.

FOR MORE INFORMATION CONTACT

www.hamilton.ca/PD7waterfacilities

Winston Wang
Project Manager
905-546-2424 Ext. 4092
Winston.Wang@hamilton.ca



Comment Sheet
Public Information Centre #2 – June 12, 2018

The City of Hamilton is conducting a Municipal Class Environmental Assessment (EA) study to identify the preferred site for a new elevated water storage facility and a new pumping station. As identified in previous studies completed by the City, these new infrastructures are required for security of supply, water system balancing, and to provide water supply for future growth within the southeast mountain area (Pressure District 7).

We are interested in your comments and suggestions regarding this project. Please take a few minutes to complete this comment sheet.

1. Why are you interested in this project?

2. The alternative sites will be compared based on the evaluation criteria listed on the displays. Are there any other criteria that should be considered? Yes No

3. What impacts might this project have on you?

4. Do you have any additional comments or require further information about the project?

5. Would you like to be added to the project mailing list? Yes No

Please submit your written comments before leaving the Public Information Centre.

If you require more time to comment, please send your comments to either of the following Project Team Members by July 25, 2018:

Shelley Kuan, P. Eng., Project Manager
Cole Engineering Group Ltd.
70 Valleywood Drive
Markham, ON L3R 4T5
Tel: 905-940-6161 Ext. 371
E: skuan@ColeEngineering.ca

Winston Wan, P. Eng., Project Manager
City of Hamilton
77 James Street North, Suite 400
Hamilton, ON L8R 2K3
Tel: 905-546-2424 Ext. 4092
Email: winston.wang@hamilton.ca

PLEASE CLEARLY PRINT YOUR NAME AND CONTACT INFORMATION BELOW:

First Name: _____	Street: _____
Last Name: _____	City: _____
Telephone: _____	Postal Code: _____
E-Mail: _____	Fax: _____

Comments and information regarding this project are being collected to assist the City of Hamilton in completing the Municipal Class EA. This material will be maintained on file for use during the project and may be included in the project documentation. Information collected will be used in accordance with the *Freedom of Information and Privacy Act*. With the exception of personal information, all comments will become part of the public record.



**Appendix J.2 Record of Follow up Phone Calls
with Indigenous Communities**

EA Phone Tracking Log

Date	Name	Organizations	Phone Number	Request for Comments	Signature
July 31, 2018	Paul General	Six Nations Eco-Centre	519-445-0330	- Left voicemail message request	<i>Kracoball</i>
August 1, 2018	Ava Hill	Six Nations of the Grand River Territory	519-445-2201	- Left voicemail message request	<i>Kracoball</i>
July 31, 2018	Allen MacNaughton	Haudenosaunee Confederacy Chiefs Council	519-445-4222	- Left voicemail message request	<i>Kracoball</i>
July 31, 2018	Tracey General	Haudenosaunee Confederacy Chiefs Council	519-445-4222	- Left voicemail message request	<i>Kracoball</i>
July 31, 2018	Stacey LaForme	Mississaugas of New Credit	905-768-1133 ext. 240	- Left voicemail message request	<i>Kracoball</i>
July 31, 2018	Maxime Picard	Huron-Wendat Nation Council	418-843-3767 ext 2105	- Left voicemail message request	<i>Kracoball</i>
July 31, 2018	Joelle Williams	Mississaugas of New Credit First Nation	905-768-4260	- Left voicemail message request	<i>Kracoball</i>
July 31, 2018	Megan M.A. DeVries	Mississaugas of New Credit First Nation	905-768-4260	- Left voicemail message request	<i>Kracoball</i>
July 31, 2018	R. Donald Maracle	Bay of Quinte Mohawk	613-396-3424 ext. 106	- Left voicemail message request	<i>Kracoball</i>
July 31, 2018	Jeffrey Betker	Indian and Northern Affairs Canada	613-992-7037	- Left voicemail message request	<i>Kracoball</i>
August 1, 2018	Kathleen Padulo	The Chiefs of Ontario	416-597-1266	- No one answered. Voicemail not available to leave a message	<i>Kracoball</i>

EA Phone Tracking Log

Date	Name	Address	Phone Number	Remark	
July 31, 2018	David Pickles	Ministry of Aboriginal Affairs	416-326-4757	<ul style="list-style-type: none"> - Wrong number listed. - Left voicemail message to Ms. Kelly Larocca for Mr. David Pickles 	<i>Kracdonell</i>
July 31, 2018	Kelly Larocca	Mississauga's of Scugog Island First Nation	905-985-3337	<ul style="list-style-type: none"> - Left voicemail message request 	<i>Kracdonell</i>
August 1, 2018	Randall Phillips	Oneida Nation of the Thames	519-652-6161	<ul style="list-style-type: none"> - He changed office locations and the receptionist reached at this number did not have any new contact information available 	<i>Kracdonell</i>
August 1, 2018	Joanne Thomas	Six Nations of the Grand River	519-445-2201	<ul style="list-style-type: none"> - Left voicemail message request 	<i>Kracdonell</i>
August 1, 2018	Russell Ott	Metis Nation of Ontario	613-798-1488 (main) 416-466-6684	<ul style="list-style-type: none"> - Unable to reach from main office number listed - Called personal extension provided and left voicemail message request 	<i>Kracdonell</i>